



**OFFICE OF THE PRINCIPAL**  
**INSTITUTE OF MANAGEMENT AND INFORMATION TECHNOLOGY**  
*(A Constituent College of BPUT, Orissa)*  
**CUTTACK-753007**

No. \_\_\_\_\_ dt. \_\_\_\_\_

**QUOTATION CALL NOTICE**  
**FOR SUPPLY OF ISOLATION TRANSFORMER**

The Institute intends to purchase Isolation Transformer as per following specification. The interested suppliers are requested to submit their quotation in closed cover within 10 days from the date of issue of this letter in the office of the undersigned. The Undersigned reserves the right to cancel any or all quotations without assigning any reason there to you are requested to mention your TIN No in your quotation.

<b>Sl. No.</b>	<b>Item</b>	<b>Specification</b>
1	Isolation Transformer	20KVA and 10KVA Frequency-50Hz

Yours faithfully,

Sd/-  
PRINCIPAL

Memo No.....dt.....

Copy to Notice Board/Account Section/Officer I/c Admn for information. Any vender interested may submit his quotation within the stipulated times.

Sd/-  
PRINCIPAL

Memo No. **695** /dt. **08.05.2010**

Copy to the HOD, MCA for information and necessary action. He is requested to upload this Notice in College website.

Sd/-  
PRINCIPAL



**OFFICE OF THE PRINCIPAL  
INSTITUTE OF MANAGEMENT AND INFORMATION TECHNOLOGY  
(A Constituent College of BPUT, Orissa)  
CUTTACK-753007**

No. \_\_\_\_\_ dt. \_\_\_\_\_

**QUOTATION CALL NOTICE**  
**FOR SUPPLY OF SERVO STABILIZER**

The Institute intends to purchase Servo as per following specification for the use in Computer Lab. Interested suppliers are requested to submit their quotation in closed cover within 10 days from the date of issue of this letter in the office of the undersigned. The undersigned reserves the right to cancel any or all quotations without assigning any reason there to. You are requested to mention your TIN No in your quotation. Your quotation should mention the basic price and taxes separately.

Sl. No.	Item	Specification
1	Servo stabilizer	Input 150-250volt or better, Output $220 \pm 1\%$ with high voltage cut off, Fine tuning adjustment, Knob efficiency better than 96%, Frequency 50 Hz

Yours faithfully,

Sd/-  
PRINCIPAL

Memo No.....dt.....

Copy to Notice Board/Account Section/Officer I/c Admn for information. Any vender interested may submit his quotation within the stipulated times.

Sd/-  
PRINCIPAL

Memo No. **698** /dt. **08.05.2010**

Copy to the HOD, MCA for information and necessary action. He is requested to upload this Notice in College website for wide circulation.

Sd/-  
PRINCIPAL